

Parameter configuration

name	L\QN &R (0 3 /RQJ /LIH 3OXV	\QN &R (0 3 ORQJ OLIH 3UR	\QN &R (0 3 ORQJ OLIH +DOR	\QN &R (0 3 XOWUD ORQJ OLIH 3OXV	\QN &R (0 3 XOWUD ORQJ OLIH +DOR	\QN &R (0 3 DQQ ZKHHO GULYH SHUIRUPDQFH +DOR
Basic information						
manufacturer	\QN &R	\QN &R	\QN &R	\QN &R	\QN &R	\QN &R
rank	0LG VLJH 689	0LG VLJH 689	0LG VLJH 689	0LG VLJH 689	0LG VLJH 689	0LG VLJH 689
Energy type	3OXJ LQ K\EULG	3OXJ LQ K\EULG	3OXJ LQ K\EULG	3OXJ LQ K\EULG	3OXJ LQ K\EULG	3OXJ LQ K\EULG
TLPH WR PDUNHW						
engine	7 KS / SOXJ LQ K\EULG	7 KS / SOXJ LQ K\EULG	7 KS / SOXJ LQ K\EULG	7 KS / SOXJ LQ K\EULG	7 KS / SOXJ LQ K\EULG	7 KS / SOXJ LQ K\EULG
Pure electric range (km) 0LQLVWU\ RI ,QG X VWU\ DQG ,QIRUP HWFKQR ORJ\						
Electric range (km)WL 7 &						
Electric range (km)CL 7 &						
Comprehensive range NP &&						
Charging time (hours))DVW FKDUJH	K)DXUW FKDUJH	K)DXUW FKDUJH	K)DXUW FKDUJH	K)DXUW FKDUJH	K)DXUW FKDUJH KRX
Fast charge (%)						
Maximum power (kW)						
Maximum torque (N·m)						
gearbox	VWRS '+7	VWRS '+7	VWRS '+7	VWRS '+7	VWRS '+7	VWRS '+7
Length x Width x Height (mm)	[[[[[[[[[[[[
Body structure	GRRU VHDW 689	GRRU VHDW 689	GRRU VHDW 689	GRRU VHDW 689	GRRU VHDW 689	GRRU VHDW 689
Maximum speed (km/h)						
OfILFLDO \$FNFHUDWLRQ WLPH V						
WL7& &RPELQHG)XHO FRQVXPSWLRQ / NP						
100km power consumption N:K NP	N:K	N:K	N:K	N:K	N:K	N:K
Power equivalent fuel FRQVXPSWLRQ / NP						

Minimum charge state fuel consumption (L/100km) Ministry of Industry and Information Technology	5.5	5.5	5.5	5.5	5.5	6
Vehicle warranty period	Five years or 100,000 kilometers	Five years or 100,000 kilometers	Five years or 100,000 kilometers	Five years or 100,000 kilometers	Five years or 100,000 kilometers	Five years or 100,000 kilometers
body						
Length (mm)	4820	4820	4820	4820	4820	4820
Width (mm)	1915	1915	1915	1915	1915	1915
Height (mm)	1685	1685	1685	1685	1685	1685
Wheelbase (mm)	2848	2848	2848	2848	2848	2848
Front wheel base (mm)	1635	1635	1635	1635	1635	1635
Rear wheel base (mm)	1635	1635	1635	1635	1635	1635
Body structure	SUV	SUV	SUV	SUV	SUV	SUV
Number of doors (each)	5	5	5	5	5	5
Door opening mode	Swing door	Swing door	Swing door	Swing door	Swing door	Swing door
Number of seats (PCS)	5	5	5	5	5	5
Service weight (kg)	2038	2038	2038	2100	2100	2200
Full load weight (kg)	2463	2463	2463	2525	2525	2625
Tank capacity (L)	60	60	60	60	60	60
Luggage compartment Capacity (L)	545-1277.	545-1277.	545-1277.	545-1277.	545-1277.	545-1277.
Minimum turning radius	6m	6m	6m	6m	6m	6m
engine						
Engine type	BHE15-BFZ	BHE15-BFZ	BHE15-BFZ	BHE15-BFZ	BHE15-BFZ	BHE15-BFZ
Volume (mL)	1499	1499	1499	1499	1499	1499
Displacement (L)	1.5	1.5	1.5	1.5	1.5	1.5
Intake form	turbocharging	turbocharging	turbocharging	turbocharging	turbocharging	turbocharging
Engine layout pattern	Hold horizontally	Hold horizontally	Hold horizontally	Hold horizontally	Hold horizontally	Hold horizontally
Cylinder arrangement	L	L	L	L	L	L
Number of cylinders (PCS)	4	4	4	4	4	4
Valve per cylinder (number)	4	4	4	4	4	4
Compression ratio	-	-	-	-	-	-

Valve mechanism	DOHC	DOHC	DOHC	DOHC	DOHC	DOHC
Maximum horsepower (Ps)	163	163	163	163	163	163
Maximum power (kW)	120	120	120	120	120	120
Maximum power speed (rpm)	5500	5500	5500	5500	5500	5500
Maximum torque (N·m)	255	255	255	255	255	255
Maximum torque speed (rpm)	2500-4000.	2500-4000.	2500-4000.	2500-4000.	2500-4000.	2500-4000.
Engine thermal efficiency (%)	44.26	44.26	44.26	44.26	44.26	44.26
Engine specific technology	-	-	-	-	-	-
Fuel form	Plug-in hybrid	Plug-in hybrid	Plug-in hybrid	Plug-in hybrid	Plug-in hybrid	Plug-in hybrid
Fuel oil label	92 #	92 #	92 #	92 #	92 #	92 #
Oil supply mode	Direct injection in cylinder	Direct injection in cylinder	Direct injection in cylinder	Direct injection in cylinder	Direct injection in cylinder	Direct injection in cylinder
Cylinder head material	Aluminium alloy	Aluminium alloy	Aluminium alloy	Aluminium alloy	Aluminium alloy	Aluminium alloy
Cylinder block material	Aluminium alloy	Aluminium alloy	Aluminium alloy	Aluminium alloy	Aluminium alloy	Aluminium alloy
Environmental protection standard	Kingdom VI	Kingdom VI	Kingdom VI	Kingdom VI	Kingdom VI	Kingdom VI
motor						
Motor description	Plug-in hybrid 218 horsepower	Plug-in hybrid 218 horsepower	Plug-in hybrid 218 horsepower	Plug-in hybrid 218 horsepower	Plug-in hybrid 218 horsepower	Plug-in hybrid 430 HP
Motor type	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous
Total motor power (kW)	160	160	160	160	160	316
Total motor horsepower (Ps)	218	218	218	218	218	430
Total motor torque (N·m)	350	350	350	350	350	640
Maximum power of front motor (kW)	160	160	160	160	160	160
Maximum torque of front motor (N·m)	350	350	350	350	350	350
Maximum power of rear motor (kW)	-	-	-	-	-	156
Maximum torque of rear motor (N·m)	-	-	-	-	-	290
System power (kW)	280	280	280	280	280	436
System torque (N·m)	615	615	615	615	615	905
Number of driving motors	Single motor	Single motor	Single motor	Single motor	Single motor	Double motor

Motor layout	preposition	preposition	preposition	preposition	preposition	Front + rear
Battery/Charging						
Battery type	Lithium iron phosphate battery + ternary lithium battery	Lithium iron phosphate battery + ternary lithium battery	Lithium iron phosphate battery + ternary lithium battery	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery
Cell brand	Nind era	Nind era	Nind era	Hive energy	Hive energy	Nind era
Battery pack warranty	Unlimited number of years/mileage of the first owner (liability exemption clause is subject to official)	Unlimited number of years/mileage of the first owner (liability exemption clause is subject to official)	Unlimited number of years/mileage of the first owner (liability exemption clause is subject to official)	Unlimited number of years/mileage of the first owner (liability exemption clause is subject to official)	Unlimited number of years/mileage of the first owner (liability exemption clause is subject to official)	Unlimited number of years/mileage of the first owner (liability exemption clause is subject to official)
Battery capacity (kWh)	21.2	21.2	21.2	39.8	39.8	39.6
Battery energy density (Wh/kg)	-	-	-	-	-	-
Battery charging ratio	-	-	-	-	-	-
Battery charging	Fast charge 0.47 hours	Fast charge 0.47 hours	Fast charge 0.47 hours	Fast charge 0.47 hours	Fast charge 0.47 hours	Fast charge 0.47 hours
	● Fast charge interface	● Fast charge interface	● Fast charge interface	● Fast charge interface	● Fast charge interface	● Fast charge interface
Position of the fast charge interface	Left fuel tank position	Left fuel tank position	Left fuel tank position	Left fuel tank position	Left fuel tank position	Left fuel tank position
Position of the slow charge port	Left fuel tank position	Left fuel tank position	Left fuel tank position	Left fuel tank position	Left fuel tank position	Left fuel tank position
Battery temperature management system	● Low temperature heating	● Low temperature heating	● Low temperature heating	● Low temperature heating	● Low temperature heating	● Low temperature heating
	● Liquid cooling	● Liquid cooling	● Liquid cooling	● Liquid cooling	● Liquid cooling	● Liquid cooling
Single pedal mode	-	-	-	-	-	-
VTOL mobile power station function	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
VTOL Maximum external discharge power	3.3 kW	3.3 kW	3.3 kW	3.3 kW	3.3 kW	3.3 kW
VTOV Maximum external discharge power	-	-	-	-	-	-
gearbox						
Transmission description	3 stop DHT	3 stop DHT	3 stop DHT	3 stop DHT	3 stop DHT	3 stop DHT
Shift number	3	3	3	3	3	3
Transmission type	Hybrid Special Transmission (DHT)	Hybrid Special Transmission (DHT)	Hybrid Special Transmission (DHT)	Hybrid Special Transmission (DHT)	Hybrid Special Transmission (DHT)	Hybrid Special Transmission (DHT)
Chassis/steering						

Driving mode	front-drive	front-drive	front-drive	front-drive	front-drive	Dual motor four-wheel drive
Four-wheel drive type	-	-	-	-	-	Electric four-wheel drive
Front suspension form	McPherson type independent suspension	McPherson type independent suspension	McPherson type independent suspension	McPherson type independent suspension	McPherson type independent suspension	McPherson type independent suspension
Rear suspension form	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension
Steering type	Electric power assist	Electric power assist	Electric power assist	Electric power assist	Electric power assist	Electric power assist
Car body structure	self-supporting	self-supporting	self-supporting	self-supporting	self-supporting	self-supporting
Wheel/Brake						
Front brake type	Ventilated disk type	Ventilated disk type	Ventilated disk type	Ventilated disk type	Ventilated disk type	Ventilated disk type
Rear brake type	Ventilated disk type	Ventilated disk type	Ventilated disk type	Ventilated disk type	Ventilated disk type	Ventilated disk type
Parking brake type	Electronic parking	Electronic parking	Electronic parking	Electronic parking	Electronic parking	Electronic parking
Front tire specifications	235/55 R19	235/55 R19	235/55 R19	235/55 R19	235/55 R19	235/55 R19
Rear tire specifications	235/55 R19	235/55 R19	235/55 R19	235/55 R19	235/55 R19	235/55 R19
Spare gauge	-	-	-	-	-	-
Spare tire placement method	-	-	-	-	-	-
Active safety						
ABS anti-lock	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Braking force distribution (EBD/CBC, etc.)	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Brake assist (EBA/BA, etc.)	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Traction control (TCS/ASR, etc.)	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Body stability system (ESP/DSC, etc.)	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Active safety early warning system	● Lane departure warning	● Lane departure warning	● Lane departure warning	● Lane departure warning	● Lane departure warning	● Lane departure warning
	● Front collision warning	● Front collision warning	● Front collision warning	● Front collision warning	● Front collision warning	● Front collision warning
	● Rear collision warning	● Rear collision warning	● Rear collision warning	● Rear collision warning	● Rear collision warning	● Rear collision warning
	● Reverse side warning	● Reverse side warning	● Reverse side warning	● Reverse side warning	● Reverse side warning	● Reverse side warning
	●DOW open door warning	●DOW open door warning	●DOW open door warning	●DOW open door warning	●DOW open door warning	●DOW open door warning
	-	-	-	○ Warning of traffic crossing ahead	○ Warning of traffic crossing ahead	○ Warning of traffic crossing ahead

	●ECO/ Economy	●ECO/ Economy	●ECO/ Economy	●ECO/ Economy	●ECO/ Economy	●ECO/ Economy
Braking energy recovery system	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Low speed driving warning tone	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
External configuration						
Skylight type	● Can open panoramic skylight	● Can open panoramic skylight	● Can open panoramic skylight	● Can open panoramic skylight	● Can open panoramic skylight	● Can open panoramic skylight
Light sense canopy	-	-	-	-	-	-
Roof rack	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Sports appearance kit	-	-	-	-	-	-
Electric spoiler	-	-	-	-	-	-
Active closed intake grille	-	-	-	-	-	-
Aluminium alloy wheel hub	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Side pedal	-	-	-	-	-	-
Frameless design door	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Hidden door handle	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Welcome function	● Chair welcome	● Chair welcome	● Chair welcome	● Chair welcome	● Chair welcome	● Chair welcome
	-	-	○ Welcome light effect	-	○ Welcome light effect	○ Welcome light effect
Towing hook	-	-	-	-	-	-
Internal configuration						
Steering wheel material	● Cortex	-	-	-	-	-
	-	● Dermis	● Dermis	● Dermis	● Dermis	● Dermis
Steering wheel adjustment	● Up and down + front and back	● Up and down + front and back	● Up and down + front and back	● Up and down + front and back	● Up and down + front and back	● Up and down + front and back
Electric steering wheel control	-	-	-	-	-	-
Steering wheel function	● Multi-function control	● Multi-function control	● Multi-function control	● Multi-function control	● Multi-function control	● Multi-function control
	-	● Heating	● Heating	● Heating	● Heating	● Heating
Shift pattern	● Electronic shield	● Electronic shield	● Electronic shield	● Electronic shield	● Electronic shield	● Electronic shield
Driving computer screen	● Color	● Color	● Color	● Color	● Color	● Color
LCD instrument style	● Full liquid crystal	● Full liquid crystal	● Full liquid crystal	● Full liquid crystal	● Full liquid crystal	● Full liquid crystal
LCD meter size (inches)	●12.3	●12.3	●12.3	●12.3	●12.3	●12.3

Liquid crystal instrument resolution	1920x720	1920x720	1920x720	1920x720	1920x720	1920x720
Comfort/security configuration						
Electric suction door	-	-	-	-	-	-
Electric rear door	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Inductive rear door	-	-	-	-	-	-
Electric rear door position memory	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Engine electronic anti-theft	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Car central control lock	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Remote key type	● Intelligent remote control key	● Intelligent remote control key	● Intelligent remote control key	● Intelligent remote control key	● Intelligent remote control key	● Intelligent remote control key
	●UWB Digital key	●UWB Digital key	●UWB Digital key	●UWB Digital key	●UWB Digital key	●UWB Digital key
	●NFC/RFID keys	●NFC/RFID keys	●NFC/RFID keys	●NFC/RFID keys	●NFC/RFID keys	●NFC/RFID keys
	● Bluetooth key for mobile phone	● Bluetooth key for mobile phone	● Bluetooth key for mobile phone	● Bluetooth key for mobile phone	● Bluetooth key for mobile phone	● Bluetooth key for mobile phone
Keyless entry	● Front Row	● Front Row	● Front Row	● Front Row	● Front Row	● Front Row
Keyless start	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Remote boot	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Remote control mobile vehicle	-	-	-	-	○ Optional	○ Optional
Vehicle call function	-	-	-	-	-	-
Head-up display system (HUD)	-	-	● Standard Configuration	-	● Standard Configuration	● Standard Configuration
HUD projection size (inches)	-	-	●92	-	●92	●92
Augmented Reality Head-up Display System (AR-HUD)	-	-	● Standard Configuration	-	● Standard Configuration	● Standard Configuration
Built-in tachograph	-	-	-	-	-	-
Active noise reduction	-	-	-	-	-	-
Mobile phone wireless charging	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Mobile phone wireless charging maximum power (W)	50	50	50	50	50	50
110V/220V/230V power socket	-	-	-	-	-	-

Luggage compartment 12V power interface	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Seat configuration						
Seat material	● Imitation leather	● Dermis	● Dermis	● Dermis	● Dermis	● Dermis
Seat leather style	-	●Nappa leather	●Nappa leather	●Nappa leather	●Nappa leather	●Nappa leather
Sports style seat	-	-	-	-	-	-
Seat layout	●2+3	●2+3	●2+3	●2+3	●2+3	●2+3
Second row of separate seats	-	-	-	-	-	-
Third row seat	-	-	-	-	-	-
Electric seat adjustment	● Main driver seat	● Main driver seat	● Main driver seat	● Main driver seat	● Main driver seat	● Main driver seat
	● Passenger seat	● Passenger seat	● Passenger seat	● Passenger seat	● Passenger seat	● Passenger seat
Overall adjustment of the main driver seat	● Forward and backward movement	● Forward and backward movement	● Forward and backward movement	● Forward and backward movement	● Forward and backward movement	● Forward and backward movement
	● Backrest Angle	● Backrest Angle	● Backrest Angle	● Backrest Angle	● Backrest Angle	● Backrest Angle
	● High and low adjustment	● High and low adjustment	● High and low adjustment	● High and low adjustment	● High and low adjustment	● High and low adjustment
Local adjustment of the main driver seat	● Headrest	● Headrest	● Headrest	● Headrest	● Headrest	● Headrest
	-	● Waist	● Waist	● Waist	● Waist	● Waist
Passenger seat overall adjustment	● Forward and backward movement	● Forward and backward movement	● Forward and backward movement	● Forward and backward movement	● Forward and backward movement	● Forward and backward movement
	● Backrest Angle	● Backrest Angle	● Backrest Angle	● Backrest Angle	● Backrest Angle	● Backrest Angle
Passenger seat local adjustment	● Headrest	● Headrest	● Headrest	● Headrest	● Headrest	● Headrest
	-	● Waist	● Waist	● Waist	● Waist	● Waist
	-	● Leg Braces	● Leg Braces	● Leg Braces	● Leg Braces	● Leg Braces
Second row seat overall adjustment	● Backrest Angle adjustment	● Backrest Angle adjustment	● Backrest Angle adjustment	● Backrest Angle adjustment	● Backrest Angle adjustment	● Backrest Angle adjustment
The second row of seats is partially adjusted	-	-	-	-	-	-
Front seat function	● Heating	● Heating	● Heating	● Heating	● Heating	● Heating
	-	● Ventilation	● Ventilation	● Ventilation	● Ventilation	● Ventilation
	● Memory (main driver)	● Memories	● Memories	● Memories	● Memories	● Memories
	-	● Massage	● Massage	● Massage	● Massage	● Massage
Second row seat feature	-	-	● Heating	-	● Heating	● Heating

	-	-	● Ventilation	-	● Ventilation	● Ventilation
	-	-	● Massage	-	● Massage	● Massage
Third row seat function	-	-	-	-	-	-
Boss key	-	-	-	-	-	-
Front/rear armrests	● Front Row	● Front Row	● Front Row	● Front Row	● Front Row	● Front Row
	● Back Row	● Back Row	● Back Row	● Back Row	● Back Row	● Back Row
Rear cup holder	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Heating/cooling cup holder	-	-	-	-	-	-
Rear seat reclining ratio	●40:60	●40:60	●40:60	●40:60	●40:60	●40:60
Rear-seat power reclining	-	-	-	-	-	-
Second row of tray tables	-	-	-	-	-	-
Intelligent interconnection						
Center control screen size (inches)	●15.4	●15.4	●15.4	●15.4	●15.4	●15.4
Central control screen material	●LCD	●LCD	●LCD	●LCD	●LCD	●LCD
Center console color screen resolution	2.5K (2560x1600)	2.5K (2560x1600)	2.5K (2560x1600)	2.5K (2560x1600)	2.5K (2560x1600)	2.5K (2560x1600)
Touch screen vibration feedback	-	-	-	-	-	-
GPS navigation system	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
AR reality navigation	-	-	● Standard Configuration	-	● Standard Configuration	● Standard Configuration
Navigation information display	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Road rescue service	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Bluetooth/car phone	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Mobile Internet mapping	● Original factory machine	● Original factory machine	● Original factory machine	● Original factory machine	● Original factory machine	● Original factory machine
Vehicle networking	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
4G/5G network	●5G	●5G	●5G	●5G	●5G	●5G
OTA upgrade	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Facial recognition	-	-	● Standard Configuration	-	● Standard Configuration	● Standard Configuration
Fingerprint recognition	-	-	-	-	-	-
Voiceprint recognition	-	-	-	-	-	-

Emotion recognition	-	-	-	-	-	-
Speech recognition control system	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Voice wake-up free function	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Voice region wake-up recognition function	● Main driver	● Main driver	● Main driver	● Main driver	● Main driver	● Main driver
	● Co-pilot	● Co-pilot	● Co-pilot	● Co-pilot	● Co-pilot	● Co-pilot
	● Second row	● Second row	● Second row	● Second row	● Second row	● Second row
Continuous speech recognition	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Visible to say	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Voice assistant wake word	Hey, Lynk.	Hey, Lynk.	Hey, Lynk.	Hey, Lynk.	Hey, Lynk.	Hey, Lynk.
Gesture control function	-	-	-	-	○ Optional	○ Optional
Wi-Fi hotspot	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Audio-visual entertainment						
Multi-finger fly screen control	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
App store	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Multimedia interface	●USB/Type-C	●USB/Type-C	●USB/Type-C	●USB/Type-C	●USB/Type-C	●USB/Type-C
Number of USB/Type-C ports	● Two in the front row	● Two in the front row	● Two in the front row	● Two in the front row	● Two in the front row	● Two in the front row
	● Two in the back	● Two in the back	● Two in the back	● Two in the back	● Two in the back	● Two in the back
USB/Type-C Maximum charging power	Front 60W	Front 60W	Front 60W	Front 60W	Front 60W	Front 60W
Car TV	-	-	-	-	-	-
Rear LCD screen	-	-	-	-	-	-
Simulated sound wave	-	-	-	-	-	-
Soothing (relaxation) mode	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Karaoke function	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Audio brand	-	○ Harman Kardon 10,000 yuan	○ Harman Kardon 10,000 yuan	○ Harman Kardon 10,000 yuan	○ Harman Kardon 10,000 yuan	○ Harman Kardon 10,000 yuan
Number of speakers (PCS)	●8	●8	●8	●8	●8	●8
	-	○23	○23	○23	○23	○23
Sound layout	-	-	-	-	-	-
Max output power (W)	-	-	-	-	-	-

	● Memories	● Memories	● Memories	● Memories	● Memories	● Memories
	● Automatic reverse down	● Automatic reverse down	● Automatic reverse down	● Automatic reverse down	● Automatic reverse down	● Automatic reverse down
	● Automatic folding of lock car	● Automatic folding of lock car	● Automatic folding of lock car	● Automatic folding of lock car	● Automatic folding of lock car	● Automatic folding of lock car
Internal rearview mirror function	-	● Automatic anti-glare	● Automatic anti-glare	● Automatic anti-glare	● Automatic anti-glare	● Automatic anti-glare
Car mirror	● Main driver seat + lighting	● Main driver seat + lighting	● Main driver seat + lighting	● Main driver seat + lighting	● Main driver seat + lighting	● Main driver seat + lighting
	● Passenger seat + lighting	● Passenger seat + lighting	● Passenger seat + lighting	● Passenger seat + lighting	● Passenger seat + lighting	● Passenger seat + lighting
Rear privacy glass	-	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Car sun curtain	-	-	-	-	-	-
Rain sensing wipers	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Rear wiper	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Rear window opens	-	-	-	-	-	-
Multilayer soundproof glass	-	-	-	-	-	-
Front windshield electric heating	-	-	-	-	-	-
Heating water nozzle	-	-	-	-	-	-
Air conditioning/Refrigerator						
Air conditioning control mode	● Auto	● Auto	● Auto	● Auto	● Auto	● Auto
Independent rear air conditioning	-	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Rear air outlet	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
Concealed air conditioning outlet	-	-	-	-	-	-
Temperature zone control	● Dual zone air conditioning	-	-	-	-	-
	-	● Three-zone air conditioning	● Three-zone air conditioning	● Three-zone air conditioning	● Three-zone air conditioning	● Three-zone air conditioning
Car air purifier	-	-	-	-	-	-
PM2.5 filter device in car	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
HEPA filter device	-	-	-	-	-	-
Anion generator	-	-	-	-	-	-
In-car fragrance device	-	-	-	-	-	-

AQS Air Quality Management System	-	-	-	-	-	-
Car refrigerator	-	-	-	-	-	-
Car refrigerator function	-	-	-	-	-	-
Intelligent configuration						
Driver assistance chip	●A1000*2	●A1000*2	●A1000*2	●A1000*2	●A1000*2	●A1000*2
Vehicle intelligent system	●LYNKFlymeAuto	●LYNKFlymeAuto	●LYNKFlymeAuto	●LYNKFlymeAuto	●LYNKFlymeAuto	●LYNKFlymeAuto
Car smart chip	● Dragon Eagle One *2	● Dragon Eagle One *2	● Dragon Eagle One *2	● Dragon Eagle One *2	● Dragon Eagle One *2	● Dragon Eagle One *2
Mobile App remote control	● Vehicle monitoring	● Vehicle monitoring	● Vehicle monitoring	● Vehicle monitoring	● Vehicle monitoring	● Vehicle monitoring
	● Remote control	● Remote control	● Remote control	● Remote control	● Remote control	● Remote control
	● Charge Management	● Charge Management	● Charge Management	● Charge Management	● Charge Management	● Charge Management
	● Service Reservation	● Service Reservation	● Service Reservation	● Service Reservation	● Service Reservation	● Service Reservation
	● Digital key	● Digital key	● Digital key	● Digital key	● Digital key	● Digital key
Heat pump management system	-	-	-	-	-	-
Number of external cameras (PCS)	●5	●5	●5	●5	●5	●5
	-	-	-	-	○10	○10
Outside camera head pixel	-	-	-	-	-	-
Number of cameras in car (PCS)	-	-	●1	-	●1	●1
	-	-	-	○2	○2	○2
Interior camera head pixel	-	-	-	-	-	-
Number of ultrasonic radars (PCS)	●8	●8	●8	●8	●8	●8
	-	-	-	-	○12	○12
Number of millimeter wave radars (PCS)	●3	●3	●3	●3	●3	●3
	-	-	-	-	○5	○5
Sub-meter high precision positioning system	-	-	-	-	○ Optional	○ Optional
High precision map	-	-	-	-	○ Optional	○ Optional
Sentinel (Clairvoyant) mode	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration	● Standard Configuration
V2X communication	-	-	-	-	-	-

Optional package						
Custom optional	Optional exterior, interior, hub, brakes	Optional exterior, interior, hub, brakes	Optional exterior, interior, hub, brakes	Optional exterior, interior, hub, brakes	Optional exterior, interior, hub, brakes	Optional exterior, interior, hub, brakes
Tracksuit with 21-inch wheels		Contains 21 inches long range to break wind wheel and 255/40 R21 specifications tyres	Includes 21-inch long endurance blast wheels and 255/40 R21 specification tires	Includes 21-inch long endurance blast wheels and 255/40 R21 specification tires	Includes 21-inch long endurance blast wheels and 255/40 R21 specification tires	Includes 21-inch long endurance blast wheels and 255/40 R21 specification tires
	-	o Optional 3000 yuan	o Optional 3000 yuan	o Optional 3000 yuan	o Optional 3000 yuan	o Optional 3000 yuan
23 Yang luxury stereo bag		Includes Harman Kardon brand audio, 23 speakers (including headrest speakers *2)	Includes Harman Kardon brand audio, 23 speakers (including headrest speakers *2)	Includes Harman Kardon brand audio, 23 speakers (including headrest speakers *2)	Includes Harman Kardon brand audio, 23 speakers (including headrest speakers *2)	Includes Harman Kardon brand audio, 23 speakers (including headrest speakers *2)
	-	o Optional 10,000 yuan	o Optional 10,000 yuan	o Optional 10,000 yuan	o Optional 10,000 yuan	o Optional 10,000 yuan
Technology for the proud wisdom to enjoy the package		-			Includes intelligent driving hardware system upgrade, OMC in-car entertainment camera, front through-light, light show, 32 light source morning glow matrix headlights, AFS headlight servo steering system;	Includes intelligent driving hardware system upgrade, OMC in-car entertainment camera, front through-light, light show, 32 light source morning glow matrix headlights, AFS headlight servo steering system;
	-	-	-	-		